

Safety Data Sheet

Garden Beds Primer



15A Malcolm Crt, Kealba 3021
(03) 9364 4489
ultra.tex@hotmail.com
ABN: 50 119 993 412

Section 1.	Material Information
Product Name:	Garden Beds Primer
Manufacturer:	Ultratex Wall Cladding & Coating Pty Ltd
Recommended Use:	Paste based Garden beds primer modified bitumen emulsion
Emergency Contact:	131 126

Based on available information, not classified as hazardous according to criteria of NOHSC.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

Section 2.	Hazard Identification
Poison Schedule:	None allocated.

Section 3.	First Aid Measures
Inhalation:	Remove victim from area of exposure - avoid becoming a casualty. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.
Skin Contact:	If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs seek medical advice.
Eye Contact:	Rinse the affected eye immediately with plenty of water at the same time keep the unaffected eye well protected.
Ingestion:	If swallowed seek medical advice immediately (treat symptomatically).
Notes to physician:	Treat symptomatically.

For advice, contact a Poisons Information Centre (Phone - Australia 131 126) or a doctor.

Section 4. Composition / Information of Ingredients

Components	CAS Number	Proportion
Ingredients determined not to be hazardous		to 100%

Section 5. Fire Fighting Measures

Specific Hazards:	Non-combustible material.
Fire-fighting advice:	Non-combustible material, however, following evaporation of the water component of the material, the residual material can burn if ignited. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.
Suitable Extinguishing Media:	Water spray, foam, dry chemical, carbon dioxide


Section 6. Accidental Release Measures

Methods for cleaning up/taking up:	Pick up mechanically. Rinse away rest with water. Clean equipment with water.
Additional information:	Must not be released into sewers, drains or wells. Take up as such and consider recycling.

Section 7. Handling and Storage

Handling advice:	Avoid eye contact and repeated or prolonged skin contact. Keep containers tightly closed
Storage advice:	Keep only in the original containers at a temperature not exceeding 30°C. Protect from light. Ultratex wall cladding & coating p/l has a shelf life of up to 12 months when stored as above.

Section 8. Exposure Controls / Personal Protection

Occupational Exposure Limits:	No value assigned for this specific material by the National Occupational Health and Safety Commission.
Engineering Control Measures:	Provide adequate ventilation. If using indoors, keep windows and doors open during use. Keep containers closed when not in use.
Personal Protective Equipment:	Wear overalls, safety glasses and impervious gloves. 

Section 9. Physical and Chemical Properties	
Physical state:	Thixotropic emulsion
Colour:	Black
Solubility:	Miscible
Flash Point (°C):	Not Applicable
Flammability Limits (%):	Not Applicable
Melting Point/Range (°C):	Not Applicable
Boiling Point/Range (°C):	Approx. 100°C
pH:	>9
Viscosity:	2500 cps
Particle Size:	4.0-5.0 micron

Section 10. Stability and Reactivity	
Thermal decomposition:	No decomposition when used as directed.
Hazardous reactions:	None when used as directed.
Hazardous decomposition products:	None when used as directed.

Section 11. Toxicological Information	
No adverse health effects are expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:	
Ingestion:	LD50 > 2000 mg/kg (rat)
Eye contact:	Non-irritant
Skin contact:	Non-irritant
Inhalation:	Where this material is used in a poorly ventilated area, at elevated temperatures or in confined spaces, vapour may cause irritation to mucous membranes of the respiratory tract, headache and nausea. Breathing in mists or aerosols may produce respiratory irritation.
Toxicological Data:	LD50 > 2000 mg/kg (rat)

Section 12. Ecotoxicological Information

Avoid contaminating waterways.

Section 13. Disposal Considerations

Disposal methods:	Refer to Waste Management Authority. Dispose of material through a licensed waste contractor. Normally suitable for disposal at approved land waste site.
--------------------------	---

Section 14. Transport Information

Road and Rail Transport:	Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.
---------------------------------	---

Marine Transport:	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
--------------------------	--

Air Transport:	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
-----------------------	---

Section 15. Regulatory Information

Classification:	Based on available information, not classified as hazardous according to criteria of NOHSC.
------------------------	---

Poisons Schedule:	None allocated.
--------------------------	-----------------

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

Section 16. Other Information

This material safety data sheet has been prepared by Ultratex Wall Cladding & Coatings Pty Ltd - Technical Department

Reason(s) for Issue:	Revised MSDS
-----------------------------	--------------

This MSDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ultratex cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact Ultratex using the contact details on page 1. Ultratex Wall Cladding & Coatings Pty Ltd.'s responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request

