Safety Data Sheet Roll On Texture



15A Malcolm Crt, Kealba 3021 (03) 9364 4489 ultra.tex@hotmail.com ABN: 50 119 993 412

Section 1.	Material Information
Product Name:	Roll On Texture (Grade: Fine, Medium & Coarse)
Manufacturer:	Ultratex Wall Cladding & Coating Pty Ltd
Recommended Use:	Roll On Texture - Decorative finish
Emergency Contact:	131 126

Based on available information, not classified as hazardous according to criteria of NOHSC. Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

Section 2.	Hazard Identification
Poison Schedule:	None allocated.
Section 3.	First Aid Measures
Inhalation:	Remove victim from area of exposure - avoid becoming a casualty. Seek medical advice if effects persist.
Skin Contact:	If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs seek medical advice.
Eye Contact:	If in eyes, wash out immediately with water. In all cases of eye contamination, it is a sensible precaution to seek medical advice.
Ingestion:	Rinse mouth with water. If swallowed, give a glass of water to drink. If vomiting occurs give further water. Seek medical assistance.
Notes to physician:	Treat symptomatically.

For advice, contact a Poisons Information Centre (Phone - Australia 131 126) or a doctor.

Section 4.	Compos	ition / Information of Ingredients		
Product Description:	Surface coat	Surface coating, applied by roller, coloured viscous liquid.		
Packing:	Plastic drum	Plastic drums/pails.		
Components		CAS Number	Proportion	
Pigments			0-30%	
Synthetic emulsion Polymer(s)			10-50%	
Calcium Carbonate		471-34-1	50-80%	
Water		7732-18-5	10-40%	
Ingredients determined not hazardous	to be		to 100%	

Section 5.	Fire Fighting Measures
Specific Hazards:	Non-combustible material.
Fire-fighting advice:	Non-combustible material.
Suitable Extinguishing Media:	Water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

Slippery when spilt. Avoid accidents, clean up immediately.

Wear protective equipment to prevent skin and eye contact. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers or drums for disposal. If contamination of sewers or waterways has occurred advise local emergency services.

Section 7.	Handling and Storage
Handling advice:	Avoid eye contact and repeated or prolonged skin contact.
Storage advice:	Store in cool place and out of direct sunlight. Keep containers closed when not in use - check regularly for leaks.
Section 8.	Exposure Controls / Personal Protection
Occupational Exposure Limits:	No value assigned for this specific material by the National Occupational Health and Safety Commission.

Ultratex Wall Cladding & Coating Pty Ltd

Section 8.	Exposure Controls / Personal Protection
Engineering Control Measures:	Provide adequate ventilation. If using indoors, keep windows and doors open during use. Keep containers closed when not in use.
Personal Protective Equipment:	Wear overalls, safety glasses and impervious gloves.

Section 9.	Physical and Chemical Properties
Physical state:	Viscous gritty liquid
Colour:	Coloured or white
Solubility:	Miscible with water.
Specific Gravity:	1-1.9 @20°C
Relative Vapour Density (air=1):	>1
Vapour Pressure (20 °C):	Not Available
Flash Point (°C):	Not Applicable
Flammability Limits (%):	Not Applicable
Autoignition Temperature (°C):	Not Applicable
% Volatile by Volume:	Not Available
Solubility in water (g/L):	Miscible
Melting Point/Range (°C):	Not Applicable
Boiling Point/Range (°C):	100 (water)
Decomposition Point (°C):	Not Available
рН:	8-10
Viscosity:	Not Available
Evaporation Rate:	Not Available

Ultratex Wall Cladding & Coating Pty	Ltd
--------------------------------------	-----

Section 10.	Stability and Reactivity
Stability:	No information available.
Section 11.	Toxicological Information

No adverse health effects are expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:	No adverse effects expected, however large amounts may cause nausea and vomiting.
Eye contact:	May be an eye irritant.
Skin contact:	Contact with skin may result in irritation.
Inhalation:	Where this material is used in a poorly ventilated area, at elevated temperatures or in confined spaces, vapour may cause irritation to mucous membranes of the respiratory tract, headache and nausea. Breathing in mists or aerosols may produce respiratory irritation.
Toxicological Data:	No LD50 data available for the product.
Section 12.	Ecotoxicological Information

Avoid contaminating waterways.

|--|

Refer to Waste Management Authority. Dispose of material through a licensed waste contractor. Normally suitable for disposal at approved land waste site.

Section 14.	Transport Information
Road and Rail Transport:	Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.
Marine Transport:	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
Air Transport:	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Section 15.	Regulatory Information
Classification:	Based on available information, not classified as hazardous according to criteria of NOHSC.
Risk:	In a poorly ventilated areas, elevated temperatures or in confined spaces, vapour may cause irritation to mucous membranes of the respiratory tract, headache and nausea. Slippery when spilt. Avoid accidents.
Safety Precautions:	Always make sure to use this material in a well ventilated area. Avoid using in elevated temperature. Clean up immediately when spills occur.
Poisons Schedule:	None allocated.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

This material safety data sheet has been prepared by Ultratex Wall Cladding & Coatings Pty Ltd - Technical Department		

This MSDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ultratex cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact Ultratex using the contact details on page I. Ultratex Wall Cladding & Coatings Pty Ltd.'s responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request